

REQUEST FOR QUOTATION

Date: June 22, 2024
Solicitation No.: PMO-24-43

Company/Business Name: _____

Address: _____

Contact Number: _____

The Privatization and Management Office (PMO), through its Information Technology Division, intends to procure Various ICT Equipment with an Approved Budget for the Contract (ABC) in the amount of Two Hundred Seventy-Five Thousand Pesos (Php 275,000.00) in accordance with Section 53.9 Negotiated Procurement - Small Value Procurement of the 2016 Revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184.

Please quote your best offer for the item/s described herein using the Technical Specifications Form provided at the last page of this Request for Quotation (RFQ). Submit your quotation duly signed by your authorized representative addressed to the PMO - Bids and Awards Committee (BAC), through the PMO-BAC Secretariat, not later than 5:00 P.M. of June 25, 2024:

BAC Secretariat

Bids and Awards Committee

Privatization and Management Office

104 Gamboa Street, Legaspi Village, Makati City

Email Address: BAC@pmo.gov.ph

Telephone Number: 8817-6331

Interested supplier shall also submit the following documents together with the quotation on or before the above specified deadline of submission:

1. Copy of valid Mayor's or Business Permit;
2. PhilGEPS Registration Number; and
3. Original and Notarized Omnibus Sworn Statement.

In lieu of items 1 and 2, a valid Certificate of PhilGEPS Registration (*Platinum Membership*) with updated class "A" eligibility documents may be submitted.

The Head of the Procuring Entity (HoPE) of the PMO reserves the right to reject any and all quotations, declare a failure of procurement, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 Revised IRR of RA No. 9184, without thereby incurring any liability to the affected supplier or suppliers.

For any clarification, you may contact us at 8806-2608 or send an email at acsanchez@pmo.gov.ph


AARON C. SANCHEZ
ITD Chief
Information Technology Division

INSTRUCTIONS TO SUPPLIERS

- (1) Do not alter the contents of this form in any way. Suppliers must provide the correct and accurate information required in this form.
- (2) The use of this RFQ is **highly encouraged** to minimize errors or omissions of the required mandatory provisions. In case of any changes, bidders must use or refer to the latest version of the RFQ, except when the latest version of the RFQ **only** pertains to deadline extension.

If another form is used other than the latest RFQ, the quotation shall contain all the mandatory requirements/provisions including manifestation on the agreement with the Terms and Conditions below.

In case a prospective supplier submits a filled-out RFQ with a supporting document (i.e., a price quotation in a different format), both documents shall be considered unless there will be discrepancies. In this case, the provisions in the RFQ shall prevail.

- (3) **All technical specifications are mandatory.** Failure to comply with any of the mandatory requirements will disqualify your quotation
- (4) Quotations, including documentary requirements, received after the deadline shall not be accepted. **Submission of quotation and documentary requirements by email is not allowed for ABCs Fifty Thousand Pesos (PhP50,000.00) and above.**

TERMS AND CONDITIONS

- (1) Price quotations shall be valid for a period stated in the Technical Specifications Form.
- (2) Price quotations shall be denominated in Philippine peso and shall include all taxes, duties, and/or levies payable.
- (3) Quotations exceeding the ABC shall be rejected.
- (4) In case two or more suppliers were determined to have submitted the Lowest Calculated and Responsive Quotation, the PMO shall adopt and employ "draw lots" as the tie-breaking method to finally determine the single winning provider in accordance with the GPPB Circular No. 06-2005.
- (5) Award of contract shall be made to the lowest quotation which complies with the technical specifications, documentary requirements, and other terms and conditions stated herein.
- (6) The items shall be delivered in accordance with the accepted offer of the supplier.
- (7) Items delivered shall be inspected on the scheduled date and time of the PMO. The delivery of the items shall be acknowledged upon the delivery to verify compliance with the technical specifications.
- (8) Payment shall be made upon full compliance with all the deliverables required by the PMO and submission of all necessary documents subject to the usual government accounting and auditing rules and regulations.
- (9) Liquidated damages equivalent to one-tenth of one percent (0.1%) of the value of the goods not delivered within the prescribed delivery period shall be imposed on per day of delay. The PMO may terminate the contract once the cumulative amount of liquidated damages reaches ten percent (10%) of the amount of the contract, without prejudice to other courses of action and remedies open to it.
- (10) The Procuring Entity may cancel or terminate the contract at any time in accordance with the grounds provided under RA No. 9184 and its 2016 revised IRR.
- (11) The RFQ, Purchase Order (PO), and other related documents for the above-stated Project shall form part of the Contract.

TECHNICAL SPECIFICATIONS FORM

Date: _____

Company/Business Name: _____

Address: _____

Contact Number and E-mail: _____

- Please quote your **best offer** for the item/s below. Please do not leave any blank items. Indicate "0" if the item being offered is for free.
- Suppliers must state "Comply" or any equivalent term in the column "Statement of Compliance" against each of the individual parameters of each specification.

Project Title: Various ICT Equipment								
Mode of Procurement: Small Value Procurement								
PMO Requirements			Supplier's Offer					Statement of Compliance (<i>"Comply"</i> or <i>"Not Comply"</i>)
Item No:	Technical Specifications	Quantity	Item No:	Technical Specifications	Quantity	Unit Cost	Total Cost	
1	Various ICT Equipment	1 lot	1					
	<i>Uninterruptible Power Supply (UPS) (1 unit)</i> <i>Minimum specifications:</i> <ul style="list-style-type: none"> ▪ 700W/1000VA UPS ▪ Form Factor: Rack-mountable 2U ▪ Nominal Input/Output Voltage: 230V ▪ Battery Type: Maintenance-free sealed lead-acid battery with suspended electrolyte, leak proof ▪ Typical Backup Time at 1/2 Load: 31.3 min. ▪ Typical Backup Time at Full Load: 8.7 min. ▪ Interface Ports: Serial (RJ45), USB and Smart-Slot ▪ Control Panel and audible alarms: Alpha-numeric LCD display with LED status indicators; alarm on battery, distinctive low battery alarm and configurable delays ▪ Surge Energy Rating: 459 Joules ▪ Warranty: 3 years electronics, 2 years battery 							

<p><i>Scanner (1 unit)</i></p> <p><i>Minimum specifications:</i></p> <ul style="list-style-type: none">▪ High Speed Scanner▪ Scanner type: ADF; Flatbed, CIS scanning technology▪ Scan resolution (optical): Up to 600 dpi (color and mono, ADF); Up to 1200 dpi (color and mono, flatbed)▪ Scan resolution (hardware): Up to 600 x 600 dpi (color and mono, ADF); Up to 1200 x 1200 dpi (color and mono, flatbed)▪ Enhanced scanning resolution: Up to 1200 dpi▪ Duty cycle (daily): 8,000 pages (ADF)▪ Bit depth: 24-bit (external), 48-bit (internal)▪ Automatic feeder scan speed: Up to 50 ppm/100 ipm (b&w, color, gray scale, 300 dpi)▪ Scan size (ADF), maximum: 216 x 5362 mm▪ Scan size, maximum: 216 x 356 mm▪ Scan size (ADF), minimum: 89 x 148 mm▪ Automatic document feeder capacity: 100 sheets▪ Duplex ADF scanning, Multi-feed detection, Color scanning▪ Scan file format: PDF, JPEG, PNG, BMP, TIF, TXT, RTF, Searchable PDF, PDF/A, DOC, DOCX, XLS, XLSX, CSV, XML▪ Scan input modes: Scan to Computer, Scan to E-mail, Scan to Network Folder, Scan to Share Folder, Scan to USB Drive and Everyday Scan▪ Levels of grayscale: 256▪ Scanning options (ADF): Single-pass Duplex scanning▪ Output resolution dpi settings: 75; 150; 200; 240; 300; 400; 500; 600; 1200 ppi▪ Media size (ADF): Letter; Legal; Executive; A4; A5; A6; B5; B5 (JIS)▪ Warranty: 3 years							
--	--	--	--	--	--	--	--

<div>Portable SSD (1 unit)</div> <div>Minimum specifications:</div> <ul style="list-style-type: none">▪ 4TB External Portable SSD▪ Interface: USB 3.2 Gen.2▪ Weight: 98g▪ Data Transfer Speed: Sequential Read: Up to 1,050MB/s Sequential Write: Up to 1,000 MB/s▪ Encryption: AES 256-bit hardware encryption▪ Security: SSD Software▪ RoHS Compliance: RoHS2▪ Warranty: 3 years							
<div>Portable PA System (1 unit)</div> <div>Minimum specifications:</div> <ul style="list-style-type: none">▪ System Type: Self-powered, two-way, 8" woofer, 1" tweeter▪ Max SPL: 112 dB▪ Frequency Response: 37.5 Hz – 20 kHz▪ Power Rating: 150W peak▪ Coverage Pattern: 100° x 60°▪ Inputs: 2x XLR/TRS combo jacks, 1x 1/4" hi-Z, 1x 1/8" aux▪ Outputs: 1x 1/8" headphone, 1x 1/4" pass thru▪ Mixer: 4 channels▪ Effects: Reverb, delay, chorus▪ Bluetooth: Audio streaming and full control; range: 10 m (30 ft)▪ USB: 2x external charging ports: port 1 = 5V, 2A; port 2 = 5V, 1A▪ Battery Charge Time: 2.5 hours with no signal, 6 hours with signal▪ Battery Life: Up to 12 hours▪ Weight: 8 kg (17.63 lb)▪ Warranty: 1 year							
<div>Portable Speaker with 2 Wireless Microphone (1 unit)</div> <div>Minimum specifications:</div> <div>1 unit Portable Speaker</div>							

<ul style="list-style-type: none"> ▪ Transducers: 5.25 inch woofers, 2 x 1.75 inch tweeters ▪ Output power: 100 W ▪ Power input: 100-240 V – 50/60 Hz ▪ RMS Frequency response: 50 Hz - 20k Hz (-6dB) ▪ Signal-to-noise ratio: > 80 dBA ▪ Battery type: Lithium-ion 18Wh (7.2V @ 2500mAh) ▪ Battery charge time: ≈ 3.5 hours ▪ Battery play time: ≈ 6 hours ▪ USB format: FAT16, FAT32 ▪ USB file format: .mp3, .wma, .wav ▪ USB output: 5V/2.1A ▪ Bluetooth version: 4.2 ▪ Bluetooth profile: A2DP 1.3, AVRCP 1.6 ▪ Bluetooth transmitter frequency range: 2.4 GHz - 2.48 GHz ▪ Bluetooth transmitter power: 10 dBm (EIRP) ▪ Bluetooth transmitter modulation: GFSK, $\pi/4$ DQPSK, 8DQPSK 2 units Wireless Microphone ▪ Frequency response: 65 Hz - 15 kHz ▪ Signal-to-noise ratio: >60 dBA ▪ Transmitter transmitting power: <10 mW ▪ Distance between transmitter and receiver: >10m ▪ Microphone battery play time: ≈ 10 hours ▪ Warranty: 1 year 							
<p><i>Dynamic Microphone (4 units)</i> <i>Minimum specifications:</i></p> <ul style="list-style-type: none"> ▪ Microphone Type: Dynamic (moving coil) ▪ Frequency Response: 15 to 16,000 Hz ▪ Polar Pattern: Cardioid (omnidirectional) ▪ Output Impedance: 150 ohms ▪ Sensitivity (at 1000 Hz): -55 dBV/Pa, (1.79 mV), 1 Pascal=94 dB SPL 							

	<ul style="list-style-type: none">▪ Connector: Three-pin professional audio connector (male XLR type)▪ Case: Black metallic finish and grille▪ Inclusions: Stand adapter, Zipper pouch, XLR cable▪ Warranty: 1 year								
ABC: Two Hundred Seventy-Five Thousand Pesos (Php 275,000.00)			<i>Additional VAT and other Government Taxes:</i>						
			GRAND TOTAL (must not be above the ABC): (amount in figures and in words)						
Other Requirements:									
Price Validity:		Thirty (30) calendar days from date of submission of quotation							
Delivery Requirements:		Within fifteen (15) calendar days from receipt of Notice to Proceed							
Terms of Payment:		Within 15-30 calendar days from receipt of billing and complete supporting documents							

Attached in this quotation are the following documentary requirements:

1. Copy of valid Mayor’s or Business Permit;
2. PhilGEPS Registration Number; and
3. Original and Notarized Omnibus Sworn Statement (for ABCs above Php50,000.00).

In lieu of items 1 and 2, a valid Certificate of PhilGEPS Registration (*Platinum Membership*) with updated class “A” eligibility documents is herein attached. (In case PhilGEPS Platinum is submitted)

Prepared by: _____
Authorized Representative
(signature over printed name)